



TREK

MOUNTAIN

10

TREKBIKES.COM



MTB 2010





Grand Junction, Colorado

There's even more MTB at trekbikes.com

If you're craving the very latest on Trek MTB, go online. See all the bikes, and with our cool compare tool you'll find the one that's right for you.



The King of the Mountain Blog
Insider talk on all that's Mountain. Twitter updates from around the world, tech talk, Trek Racing Co-op, and more.



Trek World Racing team pages
Bios, videos, the latest news, and event results from our pro downhill and cross country riders.



In-depth bike info
All the specs and technology details you need, plus side-by-side comparison tools to help you find your perfect ride.

News, events, sales, promotions, and more. Visit trekbikes.com today!



2010 Trek Mountain Bikes

Trek MTB 2

Trek World Racing 6

Technology 8



Top Fuel 12

The pinnacle cross country bike — fast doesn't begin to describe it.



Fuel EX 20

Trail performance, patented.



Remedy 30

Ascends to new heights — and then descends, carves, and sprints like the pro it is.



Scratch 38

Freeride specialist. It's what happens when downhill meets backcountry.



Ticket 44

Go big! This pro-style jumper is McCaul and Semenuk approved.



Session 88 48

The pure downhill racer — and a Trek World Racing champion bike.



Elite 54

The XC racer — the lightest weight hardtails available.



Hardtail 64

Trusted rides from the classic mountain bike family.



WSD 74

Bikes designed to fit women right from the start.

Accessories 86

Specs/Geometries 90

Lifetime Warranty 96



OUR MISSION

Technology Driven, Rider Born.

When it comes to mountain bikes, we know you have a choice. That's why we invest so much into Trek mountain bikes—to ensure that Trek mountain bikes are the best choice on the trail.

WHY?

Because mountain biking is a pure sport, pursued by hardy souls. But even the hardest souls have limits. Which we overcome by turning good ideas into great products, through elegant designs and masterful execution — freeing us to go faster, farther, harder, and longer. Yet getting to that point takes a lot of time and a good bit of money.

For Trek's Mountain Bike Development Team, making the world's best mountain bikes starts with a clear, simple vision: to improve your trail experience by building stuff that just plain works. Day in. Day out. With no BS. And no gimmicks.

HOW?

When the rolling glacial trails of Wisconsin proved not enough for world-class testing, we added Southern California. Our West Coast Suspension Development Facility gives us access to more elevation, year-round riding, different soil types, and open doors at the world's best suspension manufacturers.

When existing suspension platforms didn't offer the right ride experience, we invented a new one that de-coupled braking and suspension forces.

And in 2010, we bring even more good ideas to life: a new shock technology called DRCV;[™] a way to protect your all-mountain carbon frame from trail debris; and a handful of new frame platforms that refresh even our most inexpensive bikes from the ground up.

Yep. You've got choices. And choices make a difference. For us at Trek, it's a difference that resonates every time you choose the brand that thoroughly develops its bikes, backs them with an unbeatable warranty, and is committed to taking care of its customers.





SANTA CLARITA, CA
Trek West Coast Suspension Development Facility.

Jose Gonzalez tunes DRCV™ rear shock for Fuel EX and Remedy.




WHISTLER, BC
Home of Andrew Shandro, Gravity bike product developer.

Trek Product Developers evaluate Session RC4 rear shock tuning. Shandro validates the new Scratch prior to production.




WATERLOO, WI
Jim's Trails.

Dewayne Buratti hand sculpts three more miles of trail on Trek's 12-mile backyard trail system. Trek employees anxiously await more...



WATERLOO, WI
Trek Worldwide Headquarters.

Trek Advanced Concepts Group (ACG) team develops concepts for new Fuel EX, Remedy, and Scratch frames. Trek engineers impact test Carbon Armor. Trek Bicycle Corporation manufactures all 2010 OCLV® Elite, Top Fuel, Fuel EX, and Remedy frames.



VIRGIN, UT
Red Bull Rampage.

Brandon Semenuk wins Rampage and proves the Session 88 isn't just a DH race bike.



BALTIMORE, MD
Home of Chris Eatough, 24-hour World Champion and Trek product developer.



VAIL, CO
Teva Games.

Cam McCaul perfects his front flip in competition on the new Ticket Signature Edition.



SOUTH MOUNTAIN, AZ
Trek Product Development testing site.

With Chris Eatough, Trek Product Development team finalizes the customization for Trek Fox "race cam" ProPedal option.



DURANGO, CO
Home of Travis Brown, Olympian and Trek product developer.

Testing ground for the OCLV Carbon Remedy and Fuel EX.



SANTIAGO, CHILE
Pan-American Games.

Emily Batty takes the U23 Championship aboard her 2009 WSD Top Fuel.



KENYA, AFRICA
Urge Kenya.

Rene Wildhaber wins aboard the 2009 Remedy.

OUR PROCESS

Trek MTB Development: A Worldwide Effort.



MALVERN, ENGLAND
Home of Trek World Racing
team riders Tracy Moseley and
Liam Killeen.

Developing world-class competitive mountain bikes takes an extensive team of individuals, working together toward a common goal. Here's a glimpse of the efforts involved in building the 2010 lineup:



**WYNIGEN AND
OCHLENBERG,
SWITZERLAND**
Home of Lukas and Mathias
Flückiger.



NELSON, NEW ZEALAND
Trek World Racing member
Justin Leov wins New Zealand's
National Championship.



GRANADA, SPAIN
Training grounds for Trek World
Racing team members and home
of 23 Degrees, owner of Trek
World Racing.



**LOURENSFORD,
SOUTH AFRICA**
Cape Epic, Stage 7.
The Flü brothers win Stage 7
of the Cape Epic on the Top
Fuel 9.9.



**PIETERMARITZBURG,
SOUTH AFRICA**
Trek World Racing debuts on
the World Cup circuit with Tracy
Moseley, giving the team its first
World Cup win.

OUR TEAM

TREK[®]

WORLD RACING

Trek is committed to outfitting the world's best riders with the world's best bikes as they compete in the world's toughest races. New for 2010, Trek World Racing's roster of world-class riders is poised to stand atop the podium at any stop on the World Cup circuit.


Owned and operated by 23 Degrees with Trek as title sponsor, the Trek World Racing team is the only World Cup team to combine both cross-country athletes and downhill athletes into one highly competitive squad.

The team's roster was hand-selected to provide an international mix of competitive personalities who support each other and thrive in a team environment. At its debut race in South Africa, the team showed its true potential by delivering a World Cup win in the women's DH field and positioning the team as the #1 DH team in the world.



DH

DOWNHILL



JUSTIN LEOV

Nickname: Jusso

Residence: Malvern, England

D.O.B.: 20-Oct-84

Racing Pro Since: 2001

Career Highlights: Podium at 2005 Angel Fire World Cup, 1st place 2008 NMBS at Deer Valley, 4th place 2009 World Cup Maribor

ANDREW NEETHLING

Nickname: Needles

Residence: Somerset W., S. Africa

D.O.B.: 5-Aug-84

Racing Pro Since: 2003

Career Highlights: 2008 11th overall World Cup, 2007 6th place at World Cup #6, 3rd place 2009 Sea Otter Classic DH



TRACY MOSELEY

Nickname: Mo

Residence: Malvern, England

D.O.B.: 12-Apr-79

Racing Pro Since: 2001

Career Highlights: 2006 World Cup DH Champion, 11 World Cup wins, 1st place 2009 World Cup #1

XC

CROSS COUNTRY



LIAM KILLEEN

Nickname: Killa

Residence: Malvern, England

D.O.B.: 12-Apr-82

Racing Pro Since: 2003

Career Highlights: Gold medal at 2006 Commonwealth Games, 7th place at Beijing Olympics, 1st place overall U23 World Cup 2004



LUKAS FLÜCKIGER

Nickname: Luk

Residence: Wynigen, Switzerland

D.O.B.: 31-Jan-84

Racing Pro Since: 2007

Career Highlights: 3rd place 2007 World Cup at Offenburg, 2nd place 2008 World Cup at Bromont, 1st place Cape Epic Stage 7

MATHIAS FLÜCKIGER

Nickname: Math

Residence: Ochlenberg, Switzerland

D.O.B.: 27-Nov-88

Racing Pro Since: 2009

Career Highlights: 2006 Junior World Champion, European Champion, Swiss National Champion, 2008 1st place U23 Schladming, 1st place Cape Epic Stage 7



OUR TECHNOLOGY

MTB Suspension.

Over the past five years, Trek's commitment to mountain biking has resulted in some of the most remarkable advancements in the history of mountain bike development. By focusing on real-world problems that other companies simply accept as inherent, we've evolved our designs and our lineup to be the absolute best.

EVO LINK

DUAL RATE CONTROL VALVE (DRCV)

E2

FULL FLOATER

ACTIVE BRAKING PIVOT (ABP)





DUAL RATE CONTROL VALVE (DRCV). Built by Fox and engineered by Trek, DRCV™ is a unique two-stage air spring that takes the pedaling-efficient, small-bump sensitivity of a single-canister air shock, and adds unprecedented big-hit control through DRCV's second air chamber.

The shock's first stage behaves just like a standard Fox Float air shock. Then, halfway through the travel, DRCV's smartly functioning plunger opens up a pathway to the second air canister, allowing a seamless transition to big-hit performance.

This means a more capable Fuel EX or Remedy, and more possibilities for you on the trail.



ACTIVE BRAKING PIVOT (ABP). There are lots of ways to build a suspension system. But only Trek mountain bikes feature ABP™, or Active Braking Pivot. ABP places the rear suspension pivot in line with the rear axle. While most other suspensions firm under braking, ABP allows the suspension to remain active and independent of braking. This gives the bike better control and more effective braking.

What does this really mean? Trek mountain bikes with ABP let you brake later, go faster, and stay in control.



FULL FLOATER. Traditional suspension systems mount the rear shock at the moving link and at a fixed mount somewhere on the frame.

Full Floater™ connects the shock to two moving points—the EVO Link™ at the top, and at the continuation of the chainstay. This allows Trek's engineers to tune the suspension system more effectively.

In the real world, this efficient yet compliant suspension offers a real performance advantage, from cross country race bikes to full-on downhill machines.



E2. E2™ is the evolution of the straight steerer fork, to a tapered frame and fork system that starts with a 1.5" lower race and tapers to a 1 1/8" upper. This places more material where it matters most, giving the stiffness benefits of the larger 1.5" system without the added weight.

This translates to more high-speed stability, more precise steering, and less flex in off-camber situations.



EVO LINK. Since a full-suspension bike consists of a main frame and a rear triangle, the structural integrity of the rocker link connecting those two pieces is incredibly important. Unlike traditional rocker links built with two plates connected by bolts, the EVO Link one-piece rocker link creates unprecedented whole-bike stiffness.

This simple system brings total bike stiffness for greater control and minimal weight.



OUR TECHNOLOGY

OCV Carbon.

OCV — this proprietary method of producing carbon frames and components stands for "Optimum Compaction, Low Void."

We invented it. We patented it. And only Trek has it. While many other bike manufacturers have tried to replicate our success in carbon development, none have succeeded. And for good reason.

CARBON PERFORMANCE. Ever-more-sophisticated OCLV® frame construction and increasingly complex manufacturing processes make it nearly impossible to sum up a frame's material usage with a simple number. Instead, the OCLV Carbon hierarchy is defined by Red, Black, and White, so that we can still "rank" frame materials.

OCLV RED

Trek's highest-performance carbon fiber, OCLV Red uses a significant percentage of high-modulus carbon fiber arranged according to our most complex lay-up schedules.



OCLV BLACK

Trek's high-performance carbon fiber, OCLV Black employs intermediate-modulus carbon fiber and our time-tested lay-up schedules.

OCLV WHITE

Trek's value-oriented performance carbon fiber, OCLV White uses predominantly standard-modulus carbon fiber for outstanding value.



CARBON ARMOR – STILL LIGHT, ONLY TOUGHER! Some riders worry about possible damage to their frame from flying rocks and debris typically experienced in high-speed All Mountain-style riding. Carbon Armor alleviates that worry by a combination of mountain bike specific construction techniques and a unique polymer designed to deflect shrapnel. Not just an add-on, Carbon Armor is engineered as part of the OCLV frame with embedded stiffeners to make mountain-specific carbon fiber yet another Trek benefit.

4-LAYER PROTECTION.

1. OCLV Black Carbon
2. Specially formulated OCLV Black with embedded stiffeners
3. OCLV resin
4. Carbon Armor polymer shield



WHAT IS NET MOLDING? Net Molding™ is a process that creates exceptionally precise carbon fiber shapes that mitigate the need for secondary machining operations. All OCLV Carbon mountain bikes feature Net Molded tubes and lugs that "snap" together for perfect alignment.




PRECISION FIT SOCKETS. The Net Molding process enabled Trek to create Precision Fit Sockets.™ This means that the bottom bracket and headset faces are assembly-ready right out of the mold. There's no need for headset cups, races, or bottom bracket cups to hold the bearings. OCLV HexMC™ (Molded Carbon), the material that makes this slip-fit bearing system possible, has been tested beyond millions of cycles to ensure long-lasting performance.



OCLV MOUNTAIN BIKES. The Elite 9.9 hardtail, Top Fuel, Fuel EX, and Remedy are all offered with Trek OCLV Carbon frames. OCLV Carbon frames are manufactured exclusively at Trek's Global Headquarters in Waterloo, WI.





FAST EVERYWHERE.
NO OTHER WAY TO DESCRIBE TOP FUEL.

Most people think of the Top Fuel as a World Cup race bike, but it's so much more than that. 100-mile races. 24 hours solo. 7-day stage races. Settle in and pedal, and Top Fuel will take you there.

– **Chris Eatough**, *Six-time 24-hour World Champion,
Trek Test Rider since 1998.*

The background of the page is a blurred image of a cyclist in a red and white jersey riding a road bike on a green field. Overlaid on this is a large white logo consisting of a stylized flame above the words "TOP FUEL" in a bold, sans-serif font. The "F" and "L" have diagonal slashes through them.


TOP FUEL

TOP FUEL

Transcend Speed.


Top Fuel is the pinnacle of cross country race bikes. Its distinctive frame design has presence like no other. Its performance is world-class. With either an OCLV Carbon fiber crossbow frame or an Alpha Red Aluminum frame as its backbone, Top Fuel's suspension is designed around 100mm of front and rear travel. From World Cups to marathons to hundred-milers, Top Fuel is every dedicated athlete's bike.

01



ABP RACE. ABP™ Active Braking Pivot, places the rear suspension pivot in line with the rear axle. This keeps the suspension active and independent of braking, providing more control and more effective braking. ABP Race™ packs the same proven benefits into a narrower system, with easier rear wheel changes courtesy of one-handed quick release.

02



NO-CUT OFF-ROAD SEATMAST. Traditional seatmast systems require cutting the frame to achieve the perfect size. Not with Top Fuel's no-cut off-road seatmast — riders retain the same adjustability of a traditional seatpost design, but with the added performance of a seatmast. Found only on Top Fuel and Elite hardtails.

03



OCLV CARBON. The Top Fuel crossbow frame is a marvel of engineering and production, built in the USA using Trek's proprietary OCLV® Carbon manufacturing process. Trek's exclusive Net Molded™ precision-fit sockets, found at the bottom bracket, headtube, and suspension bearing surfaces, allow the bearings to drop directly into the frame itself, saving weight and increasing durability.

04



BB90™ Trek engineered the Top Fuel to have the narrowest bottom bracket possible. OCLV Net Molding eliminates the need for heavy aluminum inserts, allowing the bearings to drop directly into the carbon frame itself. This high-tolerance system features the industry's narrowest q-factor for unmatched pedaling efficiency.

03

PRECISION FIT.

Only OCLV Carbon fiber offers a frame precise enough to eliminate aluminum frame inserts.



A full-page photograph of two male cyclists, Chris Eatough and Jeff Schalk, in a forest. They are both wearing white Trek cycling jerseys with red accents and grey shorts. Chris is on the left, kneeling and holding the handlebars of a Trek bicycle. Jeff is on the right, also kneeling and holding the handlebars. The bicycle is a Trek Top Fuel BB90, featuring a white frame with black and red accents. The background is a dense forest with tall trees and green foliage. The overall tone is professional and athletic.

CHRIS EATOUGH

Six-time 24-hour World Champion,
Trek Test Rider since 1998.

JEFF SCHALK

XC ultra-endurance phenom —
2008 NUE Series Champion.

02 RACE PERFORMANCE.

Top Fuel's crossbow frame features
a no-cut off-road seatmast system
for exceptional performance plus
easy adjustability.

04 NARROW Q-FACTOR.

BB90's narrow pedal stance
maximizes human
pedaling efficiency.

01 ALWAYS ACTIVE.

ABP Race keeps your suspension working
as intended: always active, whether
sprinting, grinding uphill, or braking.

**North Shore, Vancouver,
British Columbia**
In Training for BC Bike Race

Top Fuel 9.9 SSL™

FRAME OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel

FRONT SUSPENSION Fox 32 F-Series Remote RL w/Fit cartridge, air spring, rebound, remote lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"

WHEELS Bontrager Race XXX Lite Disc wheel system, centerlock, tubeless ready

CRANK SRAM XX 42/28

REAR DERAILLEUR SRAM XX

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Pearl White/Onyx Carbon

Frame available.





Top Fuel 9.8™

FRAME OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel

FRONT SUSPENSION Fox 32 F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Onyx Carbon



Top Fuel 8™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel

FRONT SUSPENSION RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP-2, custom "race tuned" w/Pro Pedal, rebound; 6.5x1.5"

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano SLX 44/32/22

REAR DERAILLEUR Shimano SLX Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Chi Red/Pearl White





FUEL EX



My one do-it-all, go everywhere bike.

You supply the trail, and Fuel EX will bring the mountain-climbing, berm-riding, rock-garden-navigating, switchbacking, whooping-and-hollering fun.

– **Travis Brown**, Olympian, U.S. Marathon National Champion, Trek Product Developer since 1994. Durango, Colorado.

A man wearing a black t-shirt, black shorts, and sunglasses stands next to a black mountain bike on a grassy hill. The background features a vast landscape of rolling hills and mountains under a clear blue sky. The bike is a full-suspension model with a black frame, white front fork, and black tires. The man is holding the handlebars with both hands.

TRAVIS BROWN

Olympian, U.S. Marathon National Champion, Trek Product Developer since 1994. Durango, Colorado.

04 **STIFFER, LIGHTER.**

New for 2010, the OCLV Carbon seatstay is stiffer than ever and 100 grams lighter.

02 **ALWAYS ACTIVE.**

ABP Race keeps your suspension working as intended: always active, whether sprinting, grinding uphill, or braking.

03 **E2 IS MORE CONTROL.**

E2's tapered frame/fork puts more material where it matters most.

01 **RIDE EVERYTHING.**

Just when you think you've reached your limit, DRCV comes along. Efficient pedaling, but with a big-hit reserve so you can ride bigger lines with confidence.

FUEL EX

Trail Performance, Patented.


The 2010 Fuel EX is like nothing else on the trail. More capable and comfortable than a thoroughbred race bike, yet capable of outspurring many a short-travel bike, this 120mm front- and rear-wheel-travel steed will carry you over the mountains and through the woods with pure confidence and control.

01



DUAL RATE CONTROL VALVE (DRCV). This exclusive Trek technology combines the pedaling efficiency of a small-canister air shock with the big-hit compliance of a larger-canister shock. Featured on the Fuel EX 8 and above, DRCV™ makes this trail bike the most capable in its class.

02



ABP RACE. ABP,™ Active Braking Pivot, places the rear suspension pivot in line with the rear axle. This keeps the suspension active and independent of braking, providing more control and more effective braking. ABP Race™ packs the same proven benefits into a narrower system with easier rear wheel changes courtesy of one-handed quick release.

03



E2. With a 1.5" lower and a 1 1/8" upper, the E2™ system features a tapered fork steerer, headset, and frame to keep weight low and stiffness high. In high stakes situations, E2 keeps you in control. Featured on the Fuel EX 7 and above.

04



NEW OCLV CARBON SEATSTAY. The OCLV™ Carbon seatstay is an engineering feat, with Net Molded™ precision-fit bearing sockets and all-carbon disc brake tabs. Manufactured only in Waterloo, Wisconsin, the seatstay lends dramatic curves to the Fuel EX's distinctive frame.

Fuel EX 9.9™

FRAME OCLV Black Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series Fit RLC w/air spring, compression, lockout, rebound, alloy E2 tapered steerer, 15QR thru axle, 120mm

REAR SUSPENSION Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Rhythm Pro Disc wheel system, 6 bolt, tubeless ready

CRANK SRAM Noir 44/32/22

REAR DERAILLEUR SRAM X.0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available.





Fuel EX 9.8™

FRAME OCLV Black Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series Fit RL w/air spring, rebound, alloy E2 tapered steerer, QR15 thru axle, 120mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Black



Fuel EX 9™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series Fit RLC w/air spring, compression, lockout, rebound, alloy E2 tapered steerer, 15QR thru axle, 120mm

REAR SUSPENSION Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR SRAM X.0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Sepia



Fuel EX 8™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series RL w/air spring, rebound, alloy E2 tapered steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Black



Fuel EX 8™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series RL w/air spring, rebound, alloy E2 tapered steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Pearl White



Fuel EX 7™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series RL w/air spring, rebound, alloy steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/XV Air Can, Pro Pedal, rebound; 7.0x2.0"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims

CRANK Shimano M542 44/32/22

REAR DERAILLEUR SRAM X.7

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Titanium



Fuel EX 6™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION RockShox Recon SL Solo Air w/air spring, rebound, TurnKey lockout, alloy steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Ranger rims

CRANK Shimano M521 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss Black



Fuel EX 5™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR SRAM X.5

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Blue







*A lightweight, big mountain machine.
It doesn't get any better.*

The bike I ride is the bike I race. So when it comes time to pick one bike for the Downieville Classic's XC and DH race, I know the Remedy is the best ride out there.

– **Ross Schnell**, 2008 Downieville Classic All-Mountain World Champion.

REMEDY

REMEDY

Mountain Tamer, Trail Blazer.

The all-new Remedy is tighter, lighter, and more versatile than ever. Refined to 150mm of matched front- and rear-wheel travel and a DRCV rear shock, it will open up new lines, tame outrageous descents, and ascend unthinkable climbs. Now available in OCLV Carbon or Alpha Red Aluminum.*

01



DUAL RATE CONTROL VALVE (DRCV). This exclusive Trek technology combines the pedaling efficiency of a small-canister air shock with the big-hit compliance of a larger-canister shock. Featured on all Remedy models, DRCV™ will show you new ways to conquer any trail.

02



ABP RACE. ABP™ Active Braking Pivot, places the rear suspension pivot in line with the rear axle. This keeps the suspension active and independent of braking, providing more control and more effective braking. ABP Race™ packs the same proven benefits into a narrower system with easier rear wheel changes courtesy of one-handed quick release.

03



CARBON ARMOR. High-performance OCLV® Carbon frames eat up the trail—and sometimes the trail bites back. That's why Trek engineered Carbon Armor, a 4-layer system that adds embedded stiffeners to the main frame and tops it off with a replaceable polymer shield. OCLV lightweight performance, only tougher.

04



E2. With a 1.5" lower and a 1 1/8" upper, the E2™ system features a tapered fork steerer, headset, and frame to keep weight low and stiffness high. In high stakes situations, E2 keeps you in control.

**Both Remedy OCLV Carbon and Alpha Red Aluminum frames now come in an additional 18.5" frame size.*

Remedy 7 and 9 feature ISCG tabs for easy chainguide installation.



04 E2 IS MORE CONTROL.
E2's tapered frame/fork puts more material where it matters most.

03 TOUGHER CARBON.
When the rocks kick up and the shrapnel's flying, Carbon Armor frame protection has your back.

02 ALWAYS ACTIVE.
ABP Race keeps your suspension working as intended: always active, whether sprinting, grinding uphill, or braking.

01 RIDE EVERYTHING.
Just when you think you've reached your limit, DRCV comes along. Efficient pedaling, but with a big-hit reserve so you can ride bigger lines with confidence.

Grand Junction, Colorado

Remedy 9.9™

FRAME OCLV Red Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 150mm travel

FRONT SUSPENSION Fox 32 Talas Fit RLC w/air spring, low speed compression, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm

REAR SUSPENSION Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.75x2.25"

WHEELS Bontrager Rhythm Pro Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano XTR 44/32/22

REAR DERAILLEUR SRAM X.0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Orange Carbon/Gold Ore

Frame available.





Remedy 9.8™

FRAME OCLV Red Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 150mm travel

FRONT SUSPENSION Fox 32 Talas Fit RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"

WHEELS Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR SRAM X.0

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon/Pearl White



Remedy 8™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, ISCG03 mounts, replaceable derailleur hanger, 150mm travel

FRONT SUSPENSION Fox 32 Talas RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"

WHEELS Bontrager Rhythm Comp Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss White/Gloss Black



Remedy 7™

FRAME Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, ISCG03 mounts, replaceable derailleur hanger, 150mm travel

FRONT SUSPENSION Fox 32 Float RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 150mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims

CRANK Shimano M542 44/32/22

REAR DERAILLEUR SRAM X.9

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Black/Matte Titanium





SCRATCH



Lightweight yet pedalable.
Every bit Freeride.

When we started freeriding, we never dreamed a bike like this could exist. Performance derived from pure downhill, yet still capable of an epic backcountry trip.

– **Andrew Shandro**, Trek Long Travel R&D Specialist, Freeride Pioneer.
Based on the North Shore, British Columbia.

SCRATCH

Session Skin, Remedy Soul.

Downhillers get shuttles and lift service—and the rest of the working world has to pedal to the pristine backcountry. Enter the all-new Scratch: the perfect blend of Session downhill performance and Remedy 2-chainring pedalability,* with 170mm of rear-wheel travel and Trek's tried-and-true technology: ABP, Full Floater, EVO Link, and E2. Elite freeriders finally have a bike to scratch their niche.



01 ABP. Trek's proprietary Active Braking Pivot (ABP™) places the rear suspension pivot concentric to the rear axle. This keeps the suspension active and independent of braking, providing more control and more effective braking, resulting in a faster, cleaner line that the competition can't touch.



02 142 x 12 STANDARD. The Scratch includes an adapter to allow use of a 135mm x 12mm rear wheel—but trust us, you'll never want to go back. No more rear-wheel installation headaches, since the 142mm system provides a tabbed guide for installation ease.



03 ADJUSTABLE GEOMETRY. Choose from a 66.5° head tube and a 14.4" BB height or a 66° head tube and a 14.1" BB height. Just flip the Mino Links and you've refined your Scratch for either tighter, more technical track, or steeper descents.



04 E2. With a 1.5" lower and a 1 1/8" upper, the E2™ system's tapered fork steerer/headset/frame is lighter than a 1.5" system, yet more maneuverable than a dual-crown fork. Light weight plus stiffness in spades adds up to more control.

03 CUSTOMIZE YOUR RIDE.

A simple flip of the Mino Link tunes the Scratch's geometry to your local terrain.

01 ALWAYS ACTIVE.

ABP lets your suspension function as intended—always active, whether pedaling, braking, or dropping in.

**Scratch comes equipped with ISCG03 mounts for easy chainguide installation.*

A man, Andrew Shandro, stands in a mountainous, forested area with snow-capped peaks in the background. He is wearing a blue and grey striped long-sleeved shirt and blue shorts. He is holding a black mountain bike with blue accents. The bike has a full suspension system, including a rear shock absorber and a front fork. The bike is positioned diagonally across the frame, with the front wheel on the right and the rear wheel on the left. The man is looking directly at the camera with a serious expression. The background features a dense forest of evergreen trees and a large, rugged mountain peak covered in snow under a clear blue sky.

ANDREW SHANDRO

Trek Long Travel R&D Specialist,
Freeride Pioneer. Based on the
North Shore, British Columbia.

04 E2 IS MORE CONTROL.

E2's tapered frame/fork puts
more material where it
matters most.

02 SIMPLE WHEEL REMOVAL.

The new 142mm rear wheel with
12mm thru-axle makes wheel
installation extra easy.

Scratch 9™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel

FRONT SUSPENSION Fox 36 Vanilla RC2 w/Fit cartridge, coil spring (15.5/17.5" blue; 19.5/21.5" green), preload, hi/lo compression, rebound, alloy E2 tapered steerer, 20QR, 160mm

REAR SUSPENSION Fox DHX RC-4, custom "gravity tuned" w/externally adjustable velocity sensitive damping, bottom out force adjust and bottom out progressiveness, external rebound; 8.5x2.5" (15.5" 400lb; 17.5" 450lb; 19.5" 500lb; 21.5" 550lb spring)

WHEELS Bontrager Cousin Earl Elite Disc wheel system, 6 bolt, tubeless ready

CRANK Race Face Atlas, 36/24

REAR DERAILLEUR SRAM X.0

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss Black



Scratch Air 8™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel

FRONT SUSPENSION Fox 36 Talas R w/air spring, lockout, rebound, alloy E2 tapered steerer, 20QR, 160mm

REAR SUSPENSION Fox DHX Air 4.0 w/ProPedal, bottom-out resistance, rebound; 8.5x2.5"

WHEELS Bontrager Cousin Earl Elite Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Deore XT, 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Matte Titanium



Scratch 7™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel

FRONT SUSPENSION Fox 36 Vanilla R w/coil spring (15.5"/17.5" blue; 19.5"/21.5" green), preload, rebound, alloy E2 tapered steerer, 20QR, 160mm

REAR SUSPENSION Fox DHX 4.0, custom "gravity tuned" w/air adjust bottom/bottom out, rebound; 8.5x2.5" (15.5" 400lb; 17.5" 450lb; 19.5" 500lb; 21.5" 550lb spring)

WHEELS Bontrager Cousin Earl Disc wheel system, 6 bolt, tubeless ready

CRANK Race Face Ride, 36/24

REAR DERAILLEUR SRAM X.9

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss White



Scratch Air 6™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel

FRONT SUSPENSION RockShox Lyrik Solo Air w/air spring, rebound, E2 steerer, 20QR, 160mm

REAR SUSPENSION Fox Float RP-2 w/XV air can, ProPedal, rebound; 8.5x2.5"

WHEELS Bontrager Cousin Earl Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano SLX, 44/32/22

REAR DERAILLEUR Shimano SLX Shadow


SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss Black






TICKET



My Steed of choice for any Dirt Jump environment.

When we're out building dirt jumps, we don't really know what's possible until we start hitting them. With the Ticket, I can seamlessly thread together a rhythm of lines that's the perfect expression of my riding style.

– **Brandon Semenuk**, Winner of 2008 Red Bull Rampage. Purveyor of Style.
Whistler, BC local.



TICKET

Express Pass to Superhero.

Dirt jumps, dual slalom, pump tracks... the Ticket Signature Edition frame is the versatile, bomber base of a bike to get it all done. The frame was developed through countless Cam- and Brandon-specific revisions to give the low standover, burly build, and variety of setups they require. It's the perfect bike for dump 3s, Supermans, and front flips—or for just finding your flow out on the pump track.

02 VERSATILE.

Singlespeed or gears, your choice. In either mode, you get 20mm of chainstay adjustability.

01



E2. Built around a 1.5" lower and a 1 1/8" upper, the E2" frame is compatible with all tapered and straight steerer forks. This system provides more material wrap around the head tube for greater stiffness and frame durability.

02




ADJUSTABLE DROPOUTS. The Ticket frame comes with hardware options for either singlespeed or geared setup. Slotted drops and a trick wheel tensioning system take the frame from 15.74"-16.5" chainstay length using a 135x10mm thru-axle wheel. Find that perfect position, and the wheel stays in place, no matter how hard you case it.

03



ISCG05. The International Standard Chain Guide mounting system's most recent variation is ISCG05. Using this system you no longer need to mount the chainguide to your BB—instead, mount it directly to the frame and setup is as easy as it gets.

04



FORGED YOKE AND GUSSETS. When the world's most talented dirt jumpers bail or case a jump, their bikes take a beating. We took their hard knock research and applied it directly to the frame in the form of a forged chainstay yoke and gusseted bridgeless seatstays. Without a front derailleur to contend with, we also flared out the seat tube for a massive, super-durable BB juncture.

04

BOMBER.

Built with real-world feedback, this frame puts more metal right where you need it.

CAM MCCAUL

2008 Claymore Challenge winner.
Trek's first dirt jump specialist. Repo Man.

01 E2 IS MORE CONTROL.

E2's tapered frame puts more material where it matters most.

03 CHAINGUIDE READY.

ISCG mounts allow easy installation of your favorite chainguide.

Ticket Signature™


FRAME Alpha White Aluminum w/semi-integrated E2 tapered head tube; shaped, formed and gusseted down tube; flared seat tube; hollow forged chainstay yoke; ISCG05 mounts; seatstay gusset; sliding dropouts w/stainless steel hardware and 135x10mm thru axle

SIZES Short, Long

COLOR Gloss Black/Cyan

*Cam's backyard pool,
Aptos, California*





NO MORE EXCUSES. IT'S JUST FAST!

Some bikes require break-in time, a chance to familiarize yourself with the geometry. Not the Session—it feels like home on the first pedal stroke. And after that, there's no looking back.

— Justin Leov, 2009 Trek World Racing, World-Class Downhill Rider.

SESSION 88

SESSION 88

Be a Podium Threat.

Session has one thing on its mind: pure, downhill racing. With 203mm of rear suspension tuned to near perfection, geometry dialed for World Cup courses, and frame weights that set a new race circuit standard, Session is the downhill ride against which all others will be measured.



01 ABP. Trek's proprietary Active Braking Pivot (ABP™) places the rear suspension pivot concentric to the rear axle. This keeps the suspension active and independent of braking, providing more control and more effective braking, resulting in a faster, cleaner line that the competition can't touch.



02 EVO ROCKER LINK. Traditional rocker link systems use two plates connected with bolts. EVO Link™ refines the rocker link system into a one-piece design that's lighter and stiffer, providing a solid connection from the front to the rear triangle for unprecedented stiffness and a whole-bike connection unequalled by other downhill bikes.



03 THE PERFECT GEOMETRY FOR RACING. It's hard to pinpoint exactly what makes the Session platform such a great bike, but we know it starts with the right geometry. A 65° head tube, a 58° seat tube, and a wheelbase that's short enough to flick, yet long enough for high-speed stability — all this and more adds up to a bike that'll take you to the podium.



04 E2. The Session platform features E2™, a head tube that tapers from a 1.5" lower to a 1 1/8" upper. E2 allows for a wider tube juncture at the head tube, increasing overall bike stiffness without adding unnecessary frame material. With E2, you get more material where it matters most.

TREK WORLD RACING DH

2009 Trek World Racing's Roster of World-Class Downhill Riders — (left to right) Andrew Neethling, Justin Leov, and Tracy Moseley.

04 E2 IS MORE CONTROL.

E2's tapered frame/fork puts more material where it matters most.

01 ALWAYS ACTIVE.

ABP keeps your suspension working as intended: always active, whether pedaling, braking, or dropping in.

02 CONNECTED.

When you move, it moves — instant response courtesy of the one-piece EVO Link.

03 POISED TO WIN.

One run on the Session platform, and you'll know what race-winning geometry feels like.

UCI Downhill World Cup Race,
Maribor, Slovenia

Session 88™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, replaceable derailleur hanger, ISCG, 203mm travel

FRONT SUSPENSION Fox 40 Fit RC2 w/Ti coil spring (15.25/17.5" blue; 19.5" green), hi/lo speed compression, rebound, internal travel adjust, 1 1/8" steerer, 20mm thru axle, 203mm

REAR SUSPENSION Fox DHX RC-4, custom "DH race tuned" w/externally adjustable velocity sensitive damping, bottom out force adjust and bottom out progressiveness, external rebound; 8.75x2.75" (15.25" 400lb; 17.5" 450lb; 19.5" 500lb spring)

WHEELS Bontrager Big Earl Disc wheel system, 6 bolt, tubeless ready

CRANK Shimano Saint, 38T

REAR DERAILLEUR SRAM X.0

SIZES 15.25, 17.5, 19.5"

COLOR High Polish/White

Frame available.



Session 8™

FRAME Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, replaceable derailleur hanger, ISCG, 203mm travel

FRONT SUSPENSION RockShox Boxxer Race w/coil spring (15.25/17.5" red; 19.5" blue), rebound, low speed compression, internal preload, Motion Control IS, 1 1/8" steerer, 20mm Maxle DH, 200mm

REAR SUSPENSION Fox DHX 4.0, custom "DH race tuned" w/air adjust bottom/bottom out, rebound; 8.75x2.75" (15.25" 400lb; 17.5" 450lb; 19.5" 500lb spring)

WHEELS Bontrager Big Earl Disc wheel system, 6 bolt, tubeless ready

CRANK Race Face Respond DH, 38T

REAR DERAILLEUR SRAM X.9

SIZES 15.25, 17.5, 19.5"

COLOR Gloss Black/Gloss White



*I just can't imagine a faster bike
than my Elite 9.9 Hardtail.*

When light is what you need for speed, there's the Elite 9 Series.
Heavyweight power transfer in a featherweight body. One rocket-fast ride.

– **Lukas and Mathias Flückiger**, the Flü Brothers of the
Trek World Racing Cross Country Team.



ELITE



ELITE

Rocket Fast.

Most riders today want full suspension—but some still espouse the virtues of a classic hardtail mountain bike. For them, Trek builds the Elite 9 Series frames. From the OCLV 9.9 to the Trek Carbon Technology (TCT) 9.8 and 9.7, these highly engineered frames are some of the lightest and stiffest around.

01



NO-CUT OFF-ROAD SEATMAST. Traditional seatmast systems require cutting the frame to achieve the perfect size. But with Trek's no-cut off-road seatmast, riders retain traditional seatpost adjustability, but with the added performance of a seatmast. Found only on Top Fuel and Elite hardtails.

02



OCLV CARBON. The Elite 9.9 frame is a marvel of engineering and production, built in the USA using Trek's proprietary OCLV® Carbon manufacturing process. Trek's revolutionary Net Molded™ precision-fit sockets, found at the bottom bracket, head tube, and suspension bearing surfaces, allow the bearings to drop directly into the frame itself, saving weight and increasing durability.

03



BB90. Trek engineered Elite hardtails to have the narrowest bottom bracket possible. OCLV Net Molding eliminates the need for heavy aluminum inserts, allowing the bearings to drop directly into the carbon frame itself. This high-tolerance system features the industry's narrowest q-factor for unmatched pedaling efficiency — and FSA's K-Force 2.9 crankset, custom for Trek, makes the q-factor even narrower.

TREK WORLD RACING XC

Meet the Flü Brothers of the Trek World Racing Cross Country Team — Older brother Lukas and Junior World Champion Mathias Flückiger.

01 RACE PERFORMANCE.

Elite hardtails feature a no-cut off-road seatmast system for exceptional performance plus easy adjustability.

02 PRECISION FIT.

Only OCLV Carbon fiber offers a frame precise enough to eliminate aluminum frame inserts.

03 NARROW Q-FACTOR.

BB90's narrow pedal stance maximizes human pedaling efficiency.

UCI World Cup XC #4,
Madrid, Spain

Elite 9.9 SSL™

FRAME OCLV Red Carbon w/Net Molded head tube, BB90 bottom bracket, no-cut off-road seatmast

FRONT SUSPENSION Fox F-Series Remote RL w/Fit cartridge, air spring, rebound, remote lockout, alloy steerer, 100mm

WHEELS Bontrager Race XXX Lite Disc wheel system, centerlock, tubeless ready

CRANK FSA K-Force Light 2x9, Trek custom narrow Q factor 42/29

REAR DERAILLEUR Shimano XTR Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Pearl White/Onyx Carbon
Frame available.





Elite 9.8™

FRAME TCT Black Carbon w/BB90 bottom bracket, "Drop In" headset bearings

FRONT SUSPENSION Fox F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss Black/Pearl White



Elite 9.7™

FRAME TCT White Carbon w/BB90 bottom bracket, "Drop In" headset bearings

FRONT SUSPENSION RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm

WHEELS Bontrager Select front hub, HB-M525-L rear hub; Bontrager Ranger rims

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte Onyx Carbon



8500™

FRAME Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger

FRONT SUSPENSION Fox F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Pearl White/Gloss Black



8000™

FRAME Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm

WHEELS Bontrager Select front hub, HB-M525-L rear hub; Bontrager SSR rims

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte White/Matte Platinum



6700™

FRAME Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Recon SL Coil w/coil spring, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M525-L hubs; Bontrager Ranger rims

CRANK Shimano M521 44/32/22

REAR DERAILLEUR SRAM X.9

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss Black/Pearl White



6500™

FRAME Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M495-L centerlock hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR Shimano Deore Shadow

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte White/Matte Blue



6000™

FRAME Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Dart 3 w/coil spring, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR SRAM X.5

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx/Gloss Black



6000™

FRAME Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Dart 3 w/coil spring, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR SRAM X.5

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Matte White/Matte Candy Orange



FELIX WUNDERLICH

Trek Store, Munich
Bike Expert.

01 TREK PROMISE

Trek dealers treat you right, every time.

03 COMFORT AND VALUE.

Shock forks, great tires,
and comfortable grips.

02 PERFECT FIT.

Sizes fitting the smallest to tallest.





HARDTAIL

Right Ride for Rugged Trails.

There's a whole world of fun and adventure beyond the paved paths and city streets, and Trek's hardtails are the best way to experience real dirt. The right suspension fork, knobby tires, and an upright riding position are key elements to off-road happiness—and combined with the fit, value, comfort, and color options that only Trek offers, they guarantee that your experiences will be many.

- 01 TREK PROMISE.** Treks are sold only through independent bicycle dealers to make sure every customer receives the highest quality service. Every sales associate is well-versed in the product line and can help you determine exactly which model fits your needs.
- 02 PERFECT FIT.** Nearly every hardtail is offered in seven different frame sizes to guarantee the best fit possible. Ranging from as small as a 13" frame to as large as 24", aluminum hardtails can fit the smallest to tallest riders.
- 03 COMFORT AND VALUE.** Every Trek hardtail's parts are hand picked to achieve the perfect balance of value and durability. Suspension forks are standard on all bikes for superior comfort and control. Further improving the ride experience are newly designed Bontrager tires, grips, and saddle.

4500™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Suntour SF10-XCM-PM-HLO w/coil spring, preload, lockout, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M361 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Matte Onyx





4500™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Suntour SF10-XCM-PM-HLO w/coil spring, preload, lockout, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M361 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Pearl White



4500 Special Edition™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Suntour SF10-XCM-PM-HLO w/coil spring, preload, lockout, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M361 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Special Edition Matte Black



4300 Disc™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Spinner 300, 100mm

WHEELS Shimano M65 hubs; Bontrager Ranger rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Gloss Black



4300 Disc™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Spinner 300, 100mm

WHEELS Shimano M65 hubs; Bontrager Ranger rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Matte Green



4300™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Spinner 300, 100mm

WHEELS Formula Alloy FM31 front hub, FH-RM30 rear hub; Bontrager Camino rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Gloss Black



4300™

FRAME Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION Spinner 300, 100mm

WHEELS Formula Alloy FM31 front hub, FH-RM30 rear hub; Bontrager Camino rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES 13, 16, 18, 19.5, 21, 22.5, 24"

COLOR Matte Green

3900 Disc™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm

WHEELS Formula Alloy DC20 front hub, FH-M475 rear hub; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M191 42/34/24

REAR DERAILEUR Shimano M360

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Black



3900 Disc™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm

WHEELS Formula Alloy DC20 front hub, FH-M475 rear hub; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M191 42/34/24

REAR DERAILEUR Shimano M360

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Orange



3900 Disc Special Edition™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm

WHEELS Formula Alloy DC20 front hub, FH-M475 rear hub; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M191 42/34/24

REAR DERAILEUR Shimano M360

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Special Edition Matte White



3900™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm

WHEELS Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M191, 42/34/24

REAR DERAILLEUR Shimano M360

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Black



3900™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm

WHEELS Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M191, 42/34/24

REAR DERAILLEUR Shimano M360

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Orange



3700™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF8 XCT V2 w/coil spring, preload, 80mm

WHEELS Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M151 42/34/24

REAR DERAILEUR Shimano M310

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Pearl White



3700™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF8 XCT V2 w/coil spring, preload, 80mm

WHEELS Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M151 42/34/24

REAR DERAILEUR Shimano M310

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Matte Blue



3700 Special Edition™

FRAME Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour SF8 XCT V2 w/coil spring, preload, 80mm

WHEELS Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M151 42/34/24

REAR DERAILEUR Shimano M310

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Special Edition Matte Gray



3500™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025 w/coil spring, 63mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Onyx



3500™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025 w/coil spring, 63mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Shimano M151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Candy Red



820™

FRAME Trek Custom Steel w/Cro-Moly seat tube

FRONT SUSPENSION SR Suntour M-2025 w/coil spring, 63mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls

CRANK Hawk DX 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Gloss Black



Dialed, just for us!


There are lots of mountain bike choices out there, but for me, the Top Fuel 9.8 WSD is the absolute best choice. It's rocket fast, super light, and is made for women like me.

- **Emily Batty**, U23 Pan-Am Champion,
U23 Canadian National Champion



WSD





WSD

Women's Specific Design.

WSD bikes are designed to fit women better right from the start. Engineered to fit your body, WSD bikes put you into a more natural riding position by balancing your weight more evenly between your hips and hands. The result is extreme comfort and control, better balance, and optimized power efficiency.

For newer riders, Skye hardtail mountain bikes offer the classic WSD fit that's made the WSD brand so successful. Experienced riders should take note of the Fuel EX, Top Fuel, 8000, or 6000—these bikes use WSD Pro geometry for greater control and comfort over a wider variety of terrain.

01 THE RIGHT FIT. Standard Trek mountain frames start at a 15.5" and grow in size to 21.5". WSD mountain frames offer a smaller starting point, with more gradual increments between sizes. This tighter range gives most women the specific size and fit they need for the highest comfort and performance available.

02 THE RIGHT GEOMETRY. Skye hardtail models are built using the tried-and-true WSD geometry that is engineered to fit your body, putting you into a more natural riding position by balancing your weight more evenly between your hips and hands.

More advanced riders should choose the 6000 series and above—or any WSD Pro full suspension bike that's built to reward experienced riders with sharper handling, but with equal comfort and performance.

03 MORE COMFORT. You're built differently than a man. This means finding the right saddle and grips that are more anatomically correct, and specifying a lighter-weight spring in the coil spring suspension forks. All this adds up to a more comfortable and enjoyable ride experience.

A full-page photograph of a woman, Emily Batty, standing in a sun-dappled forest. She is leaning on a black and white mountain bike. She has long blonde hair and is wearing a black and red cycling jersey, white shorts, and a red watch. The bike has 'BONTRAGER' written on the wheels and 'WSD' on the frame. Three white lines with circular endpoints point from text boxes to specific parts of the bike: one to the frame, one to the front fork, and one to the rear triangle.

EMILY BATTY

U23 Pan-Am Champion,
U23 Canadian National Champion.

01 THE RIGHT FIT.

Four frame sizes, with smaller increments between sizes, give the widest range of women the fit they need.

03 MORE COMFORT.

Female-specific saddles and lighter-weight springs in the suspension fork are among the comfort features WSD offers.

02 THE RIGHT GEOMETRY.

Two different types of frames — WSD and WSD Pro — give more experienced riders the handling they demand.

Top Fuel 9.8 WSD™

FRAME WSD OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel

FRONT SUSPENSION Fox 32 F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Matte Onyx Carbon





Top Fuel 8 WSD™

FRAME WSD Alpha Red Aluminum w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel

FRONT SUSPENSION RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP-2, custom "race tuned" w/Pro Pedal, rebound; 6.5x1.5"

WHEELS Bontrager Race Lite Disc wheel system, centerlock, tubeless ready

CRANK Shimano SLX 44/32/22

REAR DERAILLEUR Shimano SLX Shadow

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Pearl White/Lava Black



Fuel EX 8 WSD™

FRAME WSD Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION Fox 32 F-Series RL w/air spring, rebound, alloy E2 tapered steerer, 120mm

REAR SUSPENSION Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"

WHEELS Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Black Pearl



Fuel EX 5 WSD™

FRAME WSD Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel

FRONT SUSPENSION RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 120mm

REAR SUSPENSION Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR SRAM X.5

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Pearl White



8000 WSD™

FRAME WSD Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm

WHEELS Bontrager Select front hub, HB-M525-L rear hub; Bontrager SSR rims

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT Shadow

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Satin Dark Gray/Satin Black Pearl



6700 WSD™

FRAME WSD Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Recon SL Coil w/coil spring, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 100mm

WHEELS Shimano M525-L hubs; Bontrager Ranger rims

CRANK Shimano M521 44/32/22

REAR DERAILLEUR SRAM X.9

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Matte Pearl White/Matte Sand



6000 WSD™

FRAME WSD Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RockShox Dart 3 w/coil spring, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 100mm

WHEELS Shimano M475-L hubs; Bontrager Ranger rims

CRANK Shimano M442 44/32/22

REAR DERAILLEUR SRAM X.5

SIZES Women's 14.5, 15.5, 16.5, 17.5"

COLOR Matte Silver/Matte Pearl White



Skye SL Disc™

FRAME WSD Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

FRONT SUSPENSION RST Gila TnL, 100mm

WHEELS HB-M65 front hub, FH-M65 rear hub; Bontrager Ranger rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES Women's 14, 16, 18"

COLOR Black Pearl



Skye SL™

FRAME WSD Alpha Black Aluminum
w/semi-integrated head tube, formed down tube
w/integrated gusset, formed top tube, monostay
seatstay, forged dropouts w/rack and fender mounts,
replaceable derailleur hanger

FRONT SUSPENSION RST Gila TnL, 100mm

WHEELS Alloy FM31 front hub, FH-RM30 rear hub;
Bontrager Camino rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES Women's 14, 16, 18"

COLOR Pearl White/Brown Bear



Skye SL™

FRAME WSD Alpha Black Aluminum
w/semi-integrated head tube, formed down tube
w/integrated gusset, formed top tube, monostay
seatstay, forged dropouts w/rack and fender mounts,
replaceable derailleur hanger

FRONT SUSPENSION RST Gila TnL, 100mm

WHEELS Alloy FM31 front hub, FH-RM30 rear hub;
Bontrager Camino rims

CRANK Shimano M311, 42/32/22

REAR DERAILLEUR Shimano M410

SIZES Women's 14, 16, 18"

COLOR Black Pearl



Skye S™

FRAME WSD Alpha White Aluminum
w/semi-integrated head tube, bi-oval down tube
w/integrated gusset, rack and fender mounts, disc
compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour XCT V2
w/preload, 80mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims
w/brushed sidewalls

CRANK Shimano 151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES Women's 13, 16, 19.5"

COLOR Purple Haze/Silver Smoke



Skye S™

FRAME WSD Alpha White Aluminum
w/semi-integrated head tube, bi-oval down tube
w/integrated gusset, rack and fender mounts, disc
compatible dropouts, replaceable derailleur hanger

FRONT SUSPENSION SR Suntour XCT V2
w/preload, 80mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims
w/brushed sidewalls

CRANK Shimano 151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES Women's 13, 16, 19.5"

COLOR Submarine Blue



Skye™

FRAME WSD Alpha White Aluminum
w/externally relieved head tube, bi-axial down tube,
disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025
w/coil spring, 63mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims
w/brushed sidewalls

CRANK Shimano 151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES Women's 13, 16, 19.5"

COLOR Mermaid/Pearl White



Skye™

FRAME WSD Alpha White Aluminum
w/externally relieved head tube, bi-axial down tube,
disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025
w/coil spring, 63mm

WHEELS Alloy FM31 hubs; Bontrager 550 rims
w/brushed sidewalls

CRANK Shimano 151 48/38/28

REAR DERAILLEUR Shimano TX31

SIZES Women's 13, 16, 19.5"

COLOR Silver Smoke



BONTRAGER®

Upgrade Your Ride.

- 01 BIG EARL 2.5" TIRE** Wide enough to smooth out the toughest downhill and stick the sickest landings.
- 02 G1 2.25" TIRE** A fast-rolling gravity tire for speedy descents.
- 03 XR1 2.0" TIRE** An XC race tire with a bit more comfort and a touch more bite.
- 04 XDX 2.2" TIRE** A fast-rolling, comfortable tire that's perfect for dry, hard-pack conditions.
- 05 FR3 2.35" TIRE** An all-mountain freeride tire made for big drops and maximum control.
- 06 XR2 2.1" TIRE** If you're looking for a great all-conditions XC tire, your search is over.
- 07 MUD X 1.8" TIRE** Big knobs dig in for traction even in the wettest conditions.
- 08 XR4 2.35" TIRE** An aggressive XC tire with plenty of grip.
- 09 HANK 2.2" TIRE** Tackle the concrete jungle with this large-volume urban assault tire.
- 10 XRO 1.9" TIRE** A super-fast XC race tire that's all about efficiency.

bontrager.com



11 RHYTHM COMP SHORT, BLACK

Serious off-road riders demand a serious cycling short; one that's tough enough to stand up to a full day of trail abuse.



01

02

03

04

05



12 RHYTHM COMP S/S JERSEY, GREY
Stretch-woven, moisture-wicking materials combine long-wearing durability with excellent on-bike mobility.



13 RHYTHM S/S JERSEY, BLACK With its laid-back style and moisture-wicking Temptech fabric, the Rhythm Jersey will help keep you cool, dry, and comfortable.



14 RHYTHM WSD S/S JERSEY, WHITE
Combining hi-tech materials with a more casual design, the Rhythm WSD Jersey keeps you cool, dry, and comfortable.



06



07



08



09



10

- 01 RL MTB WSD SHOE, BLACK** Designed specifically for women who ride the toughest trails.
- 02 RACE MTB WSD SHOE, GREY** A comfortable, walk-able, smartly-styled shoe designed specifically for women.
- 03 RXL MTB SHOE, WHITE** A high-end performance off-road shoe with an all-carbon sole and plenty of grip.
- 04 RXL MTB WSD SHOE, BLACK** Race-ready performance for female riders looking for best-in-class comfort, light weight, and durability.
- 05 RL MTB SHOE, SILVER** A super-stiff all-around off-road performer.
- 06 RACE MTB SHOE, GREY** A great all-around walk-able shoe that's perfect for off-road or on.
- 07 RHYTHM GLOVE, BROWN** The choice of cross country racers, Bontrager Rhythm gloves provide lightweight, full-finger protection and control.
- 08 RHYTHM COMP WSD GLOVE, GREY** This full-finger glove features the Knuckle Dragger Protection System™ for superior abrasion and impact resistance.
- 09 RHYTHM WSD GLOVE, WHITE** Bontrager Rhythm WSD gloves provide female riders lightweight, full-finger protection and control.
- 10 RHYTHM COMP GLOVE, BLACK** Designed specifically for fearless off-road riders seeking the epitome of comfort, protection, durability, and control.
- 11 TREK TIME WATCH** Available in five colors, the Trek Time Watch adds functional style to your handlebars.
- 12 RXL LOW RISE CARBON HANDLEBAR** Ultralight, vibration-dampening full-carbon construction pulls out all the stops.
- 13 RL BIG SWEEP HANDLEBAR** A stiff, light handlebar with a big sweep for big 29er wheels.
- 14 RHYTHM PRO HANDLEBAR, LOW RISE** An ultra-wide, super-stiff bar that can handle any drop that you can.
- 15 RHYTHM PRO SEATPOST** Ultra-tough, all-aluminum construction for big air and big hits.
- 16 RHYTHM PRO STEM** A super-stiff, ultra-durable stem made for serious trail riders.
- 17 RACE XXX LITE STEM** Let's be honest, you don't really need it but its ridiculously light and would really pimp your ride.
- 18 BONTRAGER AIR PACK** All the items you need to fix a flat and keep on pedaling. Don't leave home without one.
- 19 ROLLBAR 8** Compact, versatile, and rustproof tool provides essential Allen keys, flat head, T25, and bottle opener.
- 20 ROLLBAR 12** Everything the Rollbar 8 is, with a wider hex tool selection, chain breaker, and tire lever. Best choice for the trails.
- 21 ROLLBAR 18** Building on the Rollbar 12, with a Phillips driver, spoke keys for standard and Mavic, chain link holder, and disc brake spreader.

bontrager.com





TOP FUEL

Model		TOP FUEL 9.9 SSL	TOP FUEL 9.8	TOP FUEL 9.8 WSD	TOP FUEL 8	TOP FUEL 8 WSD
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"
	Colors	Pearl White/Onyx Carbon	Matte Onyx Carbon	Matte Onyx Carbon	Chi Red/Pearl White	Pearl White/Lava Black
	Frame	OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel	OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel	WSD OCLV Red Carbon w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel	Alpha Red Aluminum w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel	WSD Alpha Red Aluminum w/ABP Race, Full Floater, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 100mm travel
	Front Suspension	Fox 32 F-Series Remote RL w/Fit cartridge, air spring, rebound, remote lockout, alloy steerer, 100mm	Fox 32 F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm	Fox 32 F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm	RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm	RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm
	Rear Suspension	Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"	Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"	Fox Float RP-23 w/boost valve, rebound, new "Race Cam" Pro Pedal; 6.5x1.5"	Fox Float RP-2, custom "race tuned" w/Pro Pedal, rebound; 6.5x1.5"	Fox Float RP-2, custom "race tuned" w/Pro Pedal, rebound; 6.5x1.5"
WHEELS	Wheels	Bontrager Race XXX Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready
	Tires	Bontrager XR 1 Team, 26x2.0"	Bontrager XR 1 Expert, 26x2.0"	Bontrager XR 1 Expert, 26x2.0"	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear
DRIVETRAIN	Shifters	SRAM XX	Shimano Deore XT	Shimano Deore XT	Shimano SLX	Shimano SLX
	Front Derailleur	SRAM XX	Shimano Deore XT	Shimano Deore XT	Shimano SLX	Shimano SLX
	Rear Derailleur	SRAM XX	Shimano Deore XT Shadow	Shimano Deore XT Shadow	Shimano SLX Shadow	Shimano SLX Shadow
	Crank	SRAM XX 42/28	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano SLX 44/32/22	Shimano SLX 44/32/22
	Cassette	SRAM XX 11-32, 10 speed	Shimano Deore XT 11-32, 9 speed	Shimano Deore XT 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a	Crank Brothers Custom Candy C	Crank Brothers Custom Candy C
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race WSD	Bontrager Race	Bontrager Race WSD
	Seatpost	Bontrager Race XXX Lite, 34mm, 5mm offset	Bontrager Race XXX Lite, 34mm, 5mm offset	Bontrager Race XXX Lite, 34mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset
	Handlebars	Race Face Next SL 3/4	Race Face Next SL 3/4	Race Face Next SL 3/4	Bontrager Race, flat	Bontrager Race, flat
	Stem	Bontrager Race XXX Lite, 7 degree	Bontrager Race X Lite, 7 degree	Bontrager Race X Lite, 7 degree	Bontrager Race Lite, 7 degree	Bontrager Race Lite, 7 degree
	Headset	Cane Creek IS-3, 1-1/8" alloy cartridge	Cane Creek IS-3, 1-1/8" alloy cartridge	Cane Creek IS-3, 1-1/8" alloy cartridge	Cane Creek ZS-3	Cane Creek ZS-3
	Brakeset	Avid XX	Shimano Deore XT Ti Custom	Shimano Deore XT Ti Custom	Shimano SLX	Shimano SLX

FUEL EX

Model		FUEL EX 9.9	FUEL EX 9.8	FUEL EX 9	FUEL EX 8	FUEL EX 8 WSD
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"
	Colors	Onyx Carbon	Matte Black	Matte Sepia	Matte Black or Pearl White	Black Pearl
	Frame	OCLV Black Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	OCLV Black Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	WSD Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel
	Front Suspension	Fox 32 F-Series Fit RLC w/air spring, compression, lockout, rebound, alloy E2 tapered steerer, 15QR thru axle, 120mm	Fox 32 F-Series Fit RL w/air spring, rebound, alloy E2 tapered steerer, QR15 thru axle, 120mm	Fox 32 F-Series Fit RLC w/air spring, compression, lockout, rebound, alloy E2 tapered steerer, 15QR thru axle, 120mm	Fox 32 F-Series RL w/air spring, rebound, alloy E2 tapered steerer, 120mm	Fox 32 F-Series RL w/air spring, rebound, alloy E2 tapered steerer, 120mm
	Rear Suspension	Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.25x2.0"	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"	Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.25x2.0"	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.25x2.0"
WHEELS	Wheels	Bontrager Rhythm Pro Disc wheel system, 6 bolt, tubeless ready	Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready	Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready	Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims	Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims
	Tires	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"
DRIVETRAIN	Shifters	SRAM X.O trigger	Shimano Deore XT	SRAM X.9 trigger	Shimano SLX	Shimano SLX
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano SLX	Shimano SLX
	Rear Derailleur	SRAM X.O	Shimano Deore XT Shadow	SRAM X.O	Shimano Deore XT Shadow	Shimano Deore XT Shadow
	Crank	SRAM Noir 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22	Shimano M542 44/32/22
	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	n/a	Crank Brothers Custom Candy C	Crank Brothers Custom Candy C	Crank Brothers Custom Candy C
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race WSD
	Seatpost	Bontrager Race XXX Lite, 31.6mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager Race, 31.6mm, 5mm offset	Bontrager Race, 31.6mm, 5mm offset
	Handlebars	Bontrager Race X Lite, carbon, 40mm rise	Bontrager Race X Lite, carbon, 40mm rise	Bontrager Race Lite, 40mm rise	Bontrager Race Riser, 40mm rise	Bontrager Race Riser, 40mm rise
	Stem	Bontrager Race XXX Lite, 7 degree	Bontrager Race X Lite, 7 degree	Bontrager Race Lite, 7 degree	Bontrager Race Lite, 7 degree	Bontrager Race Lite, 7 degree
	Headset	Cane Creek Frustum SE Light Edition, E2	FSA NO.57, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	FSA NO.57E, E2, sealed bearings
	Brakeset	Avid Elixir CR MAG, hydraulic disc	Avid Elixir R Carbon, hydraulic disc	Avid Elixir R, hydraulic disc	Avid Elixir 5, hydraulic disc	Avid Elixir 5, hydraulic disc

FUEL EX

REMEDY

Model		FUEL EX 7	FUEL EX 6	FUEL EX 5	FUEL EX 5 WSD	REMEDY 9.9
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"	15.5, 17.5, 18.5, 19.5, 21.5"
	Colors	Matte Titanium	Gloss Black	Matte Blue	Pearl White	Orange Carbon/Gold Ore
	Frame	Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	WSD Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, oversized pivot bearings, replaceable derailleur hanger, 120mm travel	OCV Red Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 150mm travel
	Front Suspension	Fox 32 F-Series RL w/air spring, rebound, alloy steerer, 120mm	RockShox Recon SL Solo Air w/air spring, rebound, TurnKey lockout, alloy steerer, 120mm	RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, 120mm	RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 120mm	Fox 32 Talas Fit RLC w/air spring, low speed compression, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm
	Rear Suspension	Fox Float RP-2 w/XV Air Can, Pro Pedal, rebound; 7.0x2.0"	Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"	Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"	Fox Float RP-2 w/Pro Pedal, rebound; 7.0x2.0"	Fox Float RP-23 w/proprietary Trek DRCV, boost valve, Pro Pedal, rebound; 7.75x2.25"
WHEELS	Wheels	Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims	Bontrager Select front hub, M525-L rear hub; Bontrager Ranger rims	Shimano M475-L hubs; Bontrager Ranger rims	Shimano M475-L hubs; Bontrager Ranger rims	Bontrager Rhythm Pro Disc wheel system, 6 bolt, tubeless ready
	Tires	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.4"
DRIVETRAIN	Shifters	SRAM X.5 trigger	Shimano Deore	SRAM X.5 trigger	SRAM X.5 trigger	SRAM X.0 trigger
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore XT, Direct Mount
	Rear Derailleur	SRAM X.7	Shimano Deore XT Shadow	SRAM X.5	SRAM X.5	SRAM X.0
	Crank	Shimano M542 44/32/22	Shimano M521 44/32/22	Shimano M442 44/32/22	Shimano M442 44/32/22	Shimano XTR 44/32/22
	Cassette	SRAM PG950 11-32, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	Shimano M505, clipless	Shimano M505, clipless	Wellgo alloy platform	n/a	n/a
COMPONENTS	Saddle	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race WSD	Bontrager Rhythm Pro
	Seatpost	Bontrager Race, 31.6mm, 5mm offset	Bontrager Race, 31.6mm, 5mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Crank Brothers Joplin w/remote height adjustment, 31.6mm
	Handlebars	Bontrager Race Riser, 40mm rise	Bontrager Race Riser, 40mm rise	Bontrager Approved Riser, 25mm rise	Bontrager Approved Riser, 25mm rise	Bontrager Race Lite, 25mm rise
	Stem	Bontrager Race Lite, 7 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager Rhythm
	Headset	FSA NO.57E, E2, ACB sealed bearings	VP-A76, 1-1/8" semi-integrated, sealed	VP-A76, 1-1/8" semi-integrated, sealed	VP-A76, 1-1/8" semi-integrated, sealed	Cane Creek Frustum SE Light Edition, E2
	Brakeset	Avid Juicy 3.5, hydraulic disc	Shimano 575, hydraulic disc	Avid Juicy 3, hydraulic disc	Avid Juicy 3, hydraulic disc	Avid Elixir CR MAG, hydraulic disc

REMEDY

SCRATCH

Model		REMEDY 9.8	REMEDY 8	REMEDY 7	SCRATCH 9
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Onyx Carbon/Pearl White	Gloss White/Gloss Black	Matte Black/Matte Titanium	Gloss Black
	Frame	OCV Red Carbon w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, replaceable derailleur hanger, 150mm travel	Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, ISCG03 mounts, replaceable derailleur hanger, 150mm travel	Alpha Red Aluminum w/ABP Race, Full Floater, E2 tapered head tube, magnesium EVO Link, oversized pivot bearings, ISCG03 mounts, replaceable derailleur hanger, 150mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel
	Front Suspension	Fox 32 Talas Fit RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm	Fox 32 Talas RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 110-130-150mm	Fox 32 Float RL w/air spring, lockout, rebound, alloy E2 tapered steerer, 15QR, 150mm	Fox 36 Vanilla RC2 w/Fit cartridge, coil spring (15.5/17.5" blue; 19.5/21.5" green), preload, hi/lo compression, rebound, alloy E2 tapered steerer, 20QR, 160mm
	Rear Suspension	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"	Fox Float RP-2 w/proprietary Trek DRCV, Pro Pedal, rebound; 7.75x2.25"	Fox DHX RC-4, custom "gravity tuned" w/externally adjustable velocity sensitive damping, bottom out force adjust and bottom out progressiveness, external rebound; 8.5x2.5" (15.5" 400lb; 17.5" 450lb; 19.5" 500lb; 21.5" 550lb spring)
WHEELS	Wheels	Bontrager Rhythm Elite Disc wheel system, 6 bolt, tubeless ready	Bontrager Rhythm Comp Disc wheel system, 6 bolt, tubeless ready	Bontrager Select front hub, M525-L rear hub; Bontrager Duster rims	Bontrager Cousin Earl Elite Disc wheel system, 6 bolt, tubeless ready
	Tires	Bontrager XDX, 26x2.4"	Bontrager XDX, 26x2.4"	Bontrager XDX, 26x2.4"	Bontrager FR-4, 26x2.35"
DRIVETRAIN	Shifters	SRAM X.9 trigger	Shimano Deore XT	SRAM X.7 trigger	SRAM X.0 trigger
	Front Derailleur	Shimano Deore XT, Direct Mount	Shimano Deore XT	Shimano Deore	Shimano Deore, Direct Mount
	Rear Derailleur	SRAM X.0	Shimano Deore XT Shadow	SRAM X.9	SRAM X.0
	Crank	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22	Race Face Atlas, 36/24
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	n/a	Crank Brothers Custom Candy C	Crank Brothers Custom Candy C	Wellgo MG-1
COMPONENTS	Saddle	Bontrager Rhythm Pro	Bontrager Rhythm	Bontrager Rhythm	Bontrager Rhythm
	Seatpost	Bontrager Rhythm Elite, 31.6mm, 5mm offset	Bontrager Rhythm Elite, 31.6mm, 5mm offset	Bontrager Rhythm Elite, 31.6mm, 5mm offset	Crank Brothers Joplin w/remote height adjustment, 31.6mm
	Handlebars	Bontrager Race Lite, 25mm rise	Bontrager Race Lite, 25mm rise	Bontrager Approved Riser, 25mm rise	Bontrager Big Earl, 25mm rise
	Stem	Bontrager Rhythm	Bontrager Rhythm	Bontrager Rhythm	Bontrager Rhythm
	Headset	FSA NO.57, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	Cane Creek Frustum SE Light Edition, E2
	Brakeset	Avid Elixir R Carbon, hydraulic disc	Avid Elixir R Carbon, hydraulic disc	Avid Elixir 5, hydraulic disc	Avid Elixir CR MAG, hydraulic disc

SCRATCH

SESSION

Model		SCRATCH 7	SCRATCH AIR 8	SCRATCH AIR 6	SESSION 88	SESSION 8
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.25, 17.5, 19.5"	15.25, 17.5, 19.5"
	Colors	Gloss White	Matte Titanium	Gloss Black	High Polish/White	Gloss Black/Gloss White
	Frame	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, ISCG03 mounts, 142x12mm or 135x12mm rear axle, replaceable derailleur hanger, adjustable geometry, 170mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, replaceable derailleur hanger, ISCG, 203mm travel	Alpha Red Aluminum w/ABP, Full Floater, alloy EVO Link, E2 tapered head tube, oversized pivot bearings, replaceable derailleur hanger, ISCG, 203mm travel
	Front Suspension	Fox 36 Vanilla R w/coil spring (15.5/17.5" blue; 19.5/21.5" green), preload, rebound, alloy E2 tapered steerer, 20QR, 160mm	Fox 36 Talas R w/air spring, lockout, rebound, alloy E2 tapered steerer, 20QR, 160mm	RockShox Lyrik Solo Air w/air spring, rebound, E2 steerer, 20QR, 160mm	Fox 40 Fit RC2 w/Ti coil spring (15.25/17.5" blue; 19.5" green), hi/lo speed compression, rebound, internal travel adjust, 1-1/8" steerer, 20mm thru axle, 203mm	RockShox Boxxer Race w/coil spring (15.25/17.5" red; 19.5" blue), rebound, low speed compression, internal preload, Motion Control IS, 1-1/8" steerer, 20mm Maxle DH, 200mm
	Rear Suspension	Fox DHX 4.0, custom "gravity tuned" w/air adjust bottom/bottom out, rebound; 8.5x2.5" (15.5" 400lb; 17.5" 450lb; 19.5" 500lb; 21.5" 550lb spring)	Fox DHX Air 4.0 w/ProPedal, bottom-out resistance, rebound; 8.5x2.5"	Fox Float RP-2 w/XV air can, ProPedal, rebound; 8.5x2.5"	Fox DHX RC-4, custom "DH race tuned" w/externally adjustable velocity sensitive damping, bottom out force adjust and bottom out progressiveness, external rebound; 8.75x2.75" (15.25" 400lb; 17.5" 450lb; 19.5" 500lb spring)	Fox DHX 4.0, custom "DH race tuned" w/air adjust bottom/bottom out, rebound; 8.75x2.75" (15.25" 400lb; 17.5" 450lb; 19.5" 500lb spring)
WHEELS	Wheels	Bontrager Cousin Earl Disc wheel system, 6 bolt, tubeless ready	Bontrager Cousin Earl Elite Disc wheel system, 6 bolt, tubeless ready	Bontrager Cousin Earl Disc wheel system, 6 bolt, tubeless ready	Bontrager Big Earl Disc wheel system, 6 bolt, tubeless ready	Bontrager Big Earl Disc wheel system, 6 bolt, tubeless ready
	Tires	Bontrager FR-4, 26x2.35"	Bontrager FR-4, 26x2.35"	Bontrager FR-4, 26x2.35"	Maxxis Minion DHF, 26x2.5"	Maxxis Minion DHF, 26x2.5"
DRIVETRAIN	Shifters	SRAM X.7 trigger	Shimano Deore XT	Shimano SLX	SRAM X.0 trigger	SRAM X.7 trigger
	Front Derailleur	Shimano SLX, Direct Mount	Shimano Deore XT, Direct Mount	Shimano SLX, Direct Mount	n/a	n/a
	Rear Derailleur	SRAM X.9	Shimano Deore XT Shadow	Shimano SLX Shadow	SRAM X.0	SRAM X.9
	Crank	Race Face Ride, 36/24	Shimano Deore XT, 44/32/22	Shimano SLX, 44/32/22	Shimano Saint, 38T	Race Face Respond DH, 38T
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 12-26, 9 speed	SRAM PG970 12-26, 9 speed
	Pedals	Wellgo B087B	n/a	n/a	Wellgo MG-1	Wellgo B087B
COMPONENTS	Saddle	Bontrager Rhythm	Bontrager Rhythm	Bontrager Rhythm	Bontrager Race X Lite	Bontrager Race
	Seatpost	Bontrager Rhythm Elite, 31.6mm, 5mm offset	Crank Brothers Joplin w/height adjustment, 31.6mm	Bontrager Rhythm Elite, 31.6mm, 5mm offset	Bontrager Rhythm Pro, 31.6mm, 5mm offset	Bontrager Rhythm, 31.6mm, 5mm offset
	Handlebars	Bontrager Big Earl, 25mm rise	Bontrager Big Earl, 25mm rise	Bontrager Big Earl, 25mm rise	Bontrager Big Earl, 25mm rise	Bontrager Big Earl, 25mm rise
	Stem	Bontrager Rhythm	Bontrager Rhythm	Bontrager Rhythm	Race Face Atlas direct connect	Bontrager Big Earl, 10 degree
	Headset	FSA NO.57E, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	FSA NO.57E, E2, ACB sealed bearings	Cane Creek Frustum SE Light Edition, E2	FSA NO.57E, E2, ACB sealed bearings
	Brakeset	Avid Elixir R, hydraulic disc	Avid Elixir R Carbon, hydraulic disc	Avid Elixir 5, hydraulic disc	Avid Elixir CR MAG, hydraulic disc	Avid Elixir R, hydraulic disc

TICKET

9 SERIES

8 SERIES

Model		TICKET SIGNATURE	ELITE 9.9 SSL	ELITE 9.8	ELITE 9.7	8500
FRAMESET	Sizes	S, L	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"
	Colors	Gloss Black/Cyan	Pearl White/Onyx Carbon	Gloss Black/Pearl White	Matte Onyx Carbon	Pearl White/Gloss Black
	Frame	Alpha White Aluminum w/semi-integrated E2 tapered head tube; shaped, formed and gusseted down tube; flared seat tube; hollow forged chainstay yoke; ISCG05 mounts; seatstay gusset; sliding dropouts w/stainless steel hardware and 135x10mm thru axle	OCLV Red Carbon w/Net Molded head tube, BB90 bottom bracket, no-cut off-road seatmast	TCT Black Carbon w/BB90 bottom bracket, "Drop In" headset bearings	TCT White Carbon w/BB90 bottom bracket, "Drop In" headset bearings	Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger
	Front Suspension	n/a	Fox F-Series Remote RL w/Fit cartridge, air spring, rebound, remote lockout, alloy steerer, 100mm	Fox F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm	RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm	Fox F-Series Remote RL w/air spring, rebound, remote lockout, alloy steerer, 100mm
	Wheels	n/a	Bontrager Race XXX Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready	Bontrager Select front hub, HB-M525-L rear hub; Bontrager Ranger rims	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready
WHEELS	Tires	n/a	Bontrager XR 1 Team, 26x2.0"	Bontrager XR 1 Expert, 26x2.0"	Bontrager XDX, 26x2.2"	Bontrager XR 1 Team, 26x2.0"
DRIVETRAIN	Shifters	n/a	Shimano XTR	Shimano Deore XT	Shimano SLX	Shimano Deore XT
	Front Derailleur	n/a	Shimano XTR	Shimano Deore XT	Shimano SLX	Shimano Deore XT
	Rear Derailleur	n/a	Shimano XTR Shadow	Shimano Deore XT Shadow	Shimano Deore XT Shadow	Shimano Deore XT Shadow
	Crank	n/a	FSA K-Force Light 2x9, Trek custom narrow Q factor 42/29	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22
	Cassette	n/a	Shimano XTR 11-32, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
	Wheels	n/a	Bontrager Race XXX Lite Disc wheel system, centerlock, tubeless ready	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready	Bontrager Select front hub, HB-M525-L rear hub; Bontrager Ranger rims	Bontrager Race Lite Disc wheel system, centerlock, tubeless ready
COMPONENTS	Saddle	n/a	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite
	Seatpost	n/a	Bontrager Race XXX Lite, 34.0, 5mm offset	Bontrager Race X Lite, 31.6mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager Race X Lite, 31.6mm, 5mm offset
	Handlebars	n/a	Bontrager Race XXX Lite, flat	Bontrager Race X Lite, flat	Bontrager Race Lite, flat	Bontrager Race X Lite, flat
	Stem	n/a	Bontrager Race XXX Lite, 7 degree	Bontrager Race X Lite, 7 degree	Bontrager Race Lite, 7 degree	Bontrager Race X Lite, 7 degree
	Headset	FSA NO.57, E2, ACB sealed bearings	Cane Creek IS-3, 1-1/8" alloy cartridge	Cane Creek IS-3, 1-1/8" alloy cartridge	Cane Creek IS-3, 1-1/8" alloy cartridge	FSA Orbit Z, 1-1/8" semi-integrated, sealed
	Brakeset	n/a	Shimano XTR	Shimano Deore XT Ti Custom	Avid Elixir 5, hydraulic disc	Shimano Deore XT Ti Custom

8 SERIES

6 SERIES

Model		8000	8000 WSD	6700	6700 WSD	6500
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"	15.5, 17.5, 18.5, 19.5, 21.5"
	Colors	Matte White/Matte Platinum	Satin Dark Gray/Satin Black Pearl	Gloss Black/Pearl White	Matte Pearl White/Matte Sand	Matte White/Matte Blue
	Frame	Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger	WSD Alpha Red Aluminum w/semi-integrated head tube, butted and formed top tube, hydroformed down tube w/integrated gusset, bridgeless seatstay, forged race dropouts, replaceable derailleur hanger	Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	WSD Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger
	Front Suspension	RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm	RockShox Reba SL w/dual air spring, Motion Control w/remote Pop Loc, rebound, alloy steerer, 100mm	RockShox Recon SL Coil w/coil spring, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Recon SL Coil w/coil spring, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 100mm	RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, 100mm
WHEELS	Wheels	Bontrager Select front hub, HB-M525-L rear hub; Bontrager SSR rims	Bontrager Select front hub, HB-M525-L rear hub; Bontrager SSR rims	Shimano M525-L hubs; Bontrager Ranger rims	Shimano M525-L hubs; Bontrager Ranger rims	Shimano M495-L centerlock hubs; Bontrager Ranger rims
	Tires	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager XDX, 26x2.2"	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear
DRIVETRAIN	Shifters	Shimano SLX	Shimano SLX	SRAM X.7 trigger	SRAM X.7 trigger	Shimano Deore
	Front Derailleur	Shimano SLX	Shimano SLX	SRAM X.7	SRAM X.7	Shimano Deore
	Rear Derailleur	Shimano Deore XT Shadow	Shimano Deore XT Shadow	SRAM X.9	SRAM X.9	Shimano Deore Shadow
	Crank	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano M521 44/32/22	Shimano M521 44/32/22	Shimano M442 44/32/22
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed
	Pedals	n/a	n/a	Wellgo alloy platform	Wellgo alloy platform	Wellgo alloy platform
COMPONENTS	Saddle	Bontrager Race	Bontrager Race WSD	Bontrager Race	Bontrager SSR WSD	Bontrager Race
	Seatpost	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager Race Lite, 31.6mm, 5mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset
	Handlebars	Bontrager Race Lite, flat	Bontrager Race Lite, flat	Bontrager Approved Riser, 25mm rise	Bontrager Approved Riser, 25mm rise	Bontrager Approved Riser, 25mm rise
	Stem	Bontrager Race Lite, 7 degree	Bontrager Race Lite, 7 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree
	Headset	VP-A41AC, 1-1/8" semi-integrated, sealed	VP-A41AC, 1-1/8" semi-integrated, sealed	VP-A41AC, 1-1/8" semi-integrated, sealed	VP-A41AC, 1-1/8" semi-integrated, sealed	VP-A42E, 1-1/8" semi-integrated, sealed
	Brakeset	Avid Elixir 5, hydraulic disc	Avid Elixir 5, hydraulic disc	Avid Juicy 3, hydraulic disc	Avid Juicy 3, hydraulic disc	Shimano M486, hydraulic disc

6 SERIES

4 SERIES

Model		6000	6000 WSD	4500	4300 DISC	4300
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14.5, 15.5, 16.5, 17.5"	13, 16, 18, 19.5, 21, 22.5, 24"	13, 16, 18, 19.5, 21, 22.5, 24"	13, 16, 18, 19.5, 21, 22.5, 24"
	Colors	Onyx/Gloss Black or Matte White/Matte Candy Orange	Matte Silver/Matte Pearl White	Pearl White, Matte Onyx or Special Edition Matte Black	Gloss Black or Matte Green	Gloss Black or Matte Green
	Frame	Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	WSD Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger
	Front Suspension	RockShox Dart 3 w/coil spring, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Dart 3 w/coil spring, rebound, TurnKey lockout, alloy steerer, WSD Rider Right spring weight, 100mm	Suntour SF10-XCM-PM-HLO w/coil spring, preload, lockout, 100mm	Spinner 300, 100mm	Spinner 300, 100mm
WHEELS	Wheels	Shimano M475-L hubs; Bontrager Ranger rims	Shimano M475-L hubs; Bontrager Ranger rims	Shimano M475-L hubs; Bontrager Ranger rims	Shimano M65 hubs; Bontrager Ranger rims	Formula Alloy FM31 front hub, FH-RM30 rear hub; Bontrager Camino rims
	Tires	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear	Bontrager LT-3, 26x2.0"
DRIVETRAIN	Shifters	SRAM X.5 trigger	SRAM X.5 trigger	Shimano M410, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed
	Front Derailleur	SRAM X.5	SRAM X.5	Shimano M310	Shimano C050	Shimano C051
	Rear Derailleur	SRAM X.5	SRAM X.5	Shimano Deore	Shimano M410	Shimano M410
	Crank	Shimano M442 44/32/22	Shimano M442 44/32/22	Shimano M361 42/32/22	Shimano M311, 42/32/22	Shimano M311, 42/32/22
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed
	Pedals	Wellgo alloy platform	Wellgo alloy platform	Wellgo alloy platform	Wellgo alloy platform	Wellgo alloy platform
COMPONENTS	Saddle	Bontrager Race	Bontrager SSR WSD	Bontrager Race Lux	Bontrager Race Lux	Bontrager Race Lux
	Seatpost	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset
	Handlebars	Bontrager Approved Riser, 25mm rise	Bontrager Approved Riser, 25mm rise	Bontrager SSR, 25mm rise, 6 degree bend	Bontrager SSR, 25mm rise, 6 degree bend	Bontrager SSR, 25mm rise, 6 degree bend
	Stem	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree	Bontrager SSR, 10 degree
	Headset	VP-A42E, 1-1/8" semi-integrated, sealed	VP-A42E, 1-1/8" semi-integrated, sealed	VP-A42E, 1-1/8" semi-integrated, sealed	VP-A42E, 1-1/8" semi-integrated, sealed	VP-A42E, 1-1/8" semi-integrated, sealed
	Brakeset	Avid BB-5, mechanical disc w/Pro Max levers	Avid BB-5, mechanical disc w/Pro Max levers	Avid BB-5, mechanical disc w/Pro Max levers	Shimano 416, mechanical disc w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

SKYE

Model		SKYE SL DISC	SKYE SL	SKYE S	SKYE	
FRAMESET	Sizes	Women's 14, 16, 18"	Women's 14, 16, 18"	Women's 13, 16, 19.5"	Women's 13, 16, 19.5"	
	Colors	Black Pearl	Pearl White/Brown Bear or Black Pearl	Purple Haze/Silver Smoke or Submarine Blue	Mermaid/Pearl White or Silver Smoke	
	Frame	WSD Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	WSD Alpha Black Aluminum w/semi-integrated head tube, formed down tube w/integrated gusset, formed top tube, monostay seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger	WSD Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger	WSD Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	
	Front Suspension	RST Gila TnL, 100mm	RST Gila TnL, 100mm	SR Suntour XCT V2 w/preload, 80mm	SR Suntour M-2025 w/coil spring, 63mm	
WHEELS	Wheels	H8-M65 front hub, FH-M65 rear hub; Bontrager Ranger rims	Alloy FM31 front hub, FH-RM30 rear hub; Bontrager Camino rims	Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls	Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls	
	Tires	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	
DRIVETRAIN	Shifters	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed	SRAM MRX, 7 speed	
	Front Derailleur	Shimano C050	Shimano C051	Shimano C051	Shimano C051	
	Rear Derailleur	Shimano M410	Shimano M410	Shimano TX31	Shimano TX31	
	Crank	Shimano M311, 42/32/22	Shimano M311, 42/32/22	Shimano 151 48/38/28	Shimano 151 48/38/28	
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG820 11-32, 8 speed	Shimano TZ31 13-34, 7speed	
	Pedals	Wellgo alloy platform	Wellgo alloy platform	Wellgo nylon platform	Wellgo nylon platform	
COMPONENTS	Saddle	Bontrager SSR WSD	Bontrager SSR WSD	Bontrager SSR WSD	Bontrager SSR WSD	
	Seatpost	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	
	Handlebars	Bontrager SSR, 25mm rise, 6 degree bend	Bontrager SSR, 25mm rise, 6 degree bend	Bontrager Approved Riser, 30mm rise	Bontrager Approved Riser, 30mm rise	
	Stem	Bontrager SSR, 25 degree	Bontrager SSR, 25 degree	Bontrager Approved, 25 degree	Bontrager Approved, 25 degree	
	Headset	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A71-TK, 1-1/8" semi-cartridge, steel	
	Brakeset	Shimano 416, mechanical disc w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Tektro CL-530-TS levers	

3 SERIES

820

Model		3900 DISC	3900	3700	3500	820
FRAMESET	Sizes	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19.5, 21, 22.5"
	Colors	Matte Black, Matte Orange or Special Edition Matte White	Matte Black or Matte Orange	Pearl White, Matte Blue or Special Edition Matte Gray	Onyx or Candy Red	Gloss Black
	Frame	Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger	Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger	Alpha White Aluminum w/semi-integrated head tube, bi-oval down tube w/integrated gusset, rack and fender mounts, disc compatible dropouts, replaceable derailleur hanger	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Trek Custom Steel w/Cro-Moly seat tube
	Front Suspension	SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm	SR Suntour SF9 XCT V2 w/coil spring, preload, 100mm	SR Suntour SF8 XCT V2 w/coil spring, preload, 80mm	SR Suntour M-2025 w/coil spring, 63mm	SR Suntour M-2025 w/coil spring, 63mm
WHEELS	Wheels	Formula Alloy DC20 front hub, FH-M475 rear hub; Bontrager 550 rims w/brushed sidewalls	Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls	Formula Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls	Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls	Alloy FM31 hubs; Bontrager 550 rims w/brushed sidewalls
	Tires	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"	Bontrager LT-3, 26x2.0"
DRIVETRAIN	Shifters	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	Shimano EF40, 7 speed
	Front Derailleur	Shimano C051	Shimano C051	Shimano C051	Shimano C051	Shimano C051
	Rear Derailleur	Shimano M360	Shimano M360	Shimano M310	Shimano TX31	Shimano TX31
	Crank	Shimano M191 42/34/24	Shimano M191, 42/34/24	Shimano M151 42/34/24	Shimano M151 48/38/28	Hawk DX 48/38/28
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	Shimano TZ31 13-34, 7 speed	Shimano TZ31 13-34, 7 speed	Shimano TZ31, 13-34, 7 speed
	Pedals	Wellgo nylon platform	Wellgo nylon platform	Wellgo nylon platform	Wellgo nylon platform	Wellgo nylon platform
COMPONENTS	Saddle	Bontrager SSR	Bontrager SSR	Bontrager SSR	Bontrager SSR	Bontrager SSR
	Seatpost	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset	Bontrager SSR, 31.6mm, 20mm offset
	Handlebars	Bontrager Approved Riser, 30mm rise	Bontrager Approved Riser, 30mm rise	Bontrager Approved Riser, 30mm rise	Bontrager Approved Riser, 30mm rise	Bontrager Approved Riser, 30mm rise
	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 25 degree	Bontrager Approved, 25 degree	Bontrager Approved, 25 degree	Bontrager Approved, 25 degree
	Headset	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A68-TK, 1-1/8" semi-cartridge, sealed	VP-A71-TK, 1-1/8" semi-cartridge, steel	VP-A71-TK, 1-1/8" semi-cartridge, steel
	Brakeset	Promax, mechanical disc w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF40 levers

Trek Limited Lifetime Warranty

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame, except the fork and the Session model, when purchased from an authorized Trek dealer. Rigid forks and all Bontrager components and accessories, except consumables such as tires and inner tubes, are warranted for 5 years. Trek Bicycle Corporation likewise warrants all other original parts on the bicycle, excluding Shimano parts, suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 18 inch frame size. Road bike weights based on 56cm frame size.

All Trek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame, except the fork and the Session model.

©2009 Trek Bicycle Corporation. All rights reserved. Trek and Bontrager are registered trademarks of Trek Bicycle Corporation. Shimano and RockShox are registered trademarks of Shimano American Corporation, and SRAM Corporation, respectively. U.S. Pat. Nos. 5,624,519; 5,629,668; 5,685,553; 5,715,544; 5,734,142; 5,931,544; 6,045,470; 6,092,438; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042; 6,572,249; 6,637,244; 6,637,061; 6,749,212 and others pending.

Designed by Hanson Dodge Creative. Contributing photographers: Todd Herbst, John Laptad, Sterling Lorence, Colin Meagher, NSYNC Studio, Gary Perkin, Devin Schmitt, Daniel Simon, Shawn Spomer, Damian Strigens, Marco Toniolo.

EUROPEAN CENTRAL OFFICE Bikeurope B.V. Basicweg 12 3821 BR Amersfoort The Netherlands **SUBSIDIARIES** **Austria** Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 Fax: +43 (0) 820 820 141 **Benelux** Bikeurope B.V. Tel: +31 (0) 33 45 09 040 Fax: +31 (0) 33 45 65 383 **China** Trek Bicycle Corporation Tel: +86 10 8459 5392 Fax: +86 10 8459 5394 **Denmark** Bikeurope B.V. / Trek Denmark Tel: +45 70 27 15 40 Fax: +45 70 27 15 45 **France** Bikeurope B.V. / Trek France Tel: +33 (0) 5 6212 0810 Fax: +33 (0) 5 6130 4981 **Germany** Bikeurope B.V. / Trek Deutschland Tel: +49 (0) 180 350 7010 Fax: +49 (0) 180 350 7015 **Japan** Trek Japan Corporation Tel: +81 (0) 78 413 6606 Fax: +81 (0) 78 413 6607 **Spain** Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 Fax: +34 (0) 91 843 51 71 **Switzerland** Trek Fahrrad GmbH Tel: +41 (0) 44 824 85 00 Fax: +41 (0) 44 824 85 55 **United Kingdom** Trek Bicycle Corporation Ltd. Tel: +44 (0)1 908 28 26 26 Fax: +44 (0)1 908 28 06 90 **TREK DISTRIBUTORS** **Argentina** Bike Sports S.R.L. Tel: 5411 4797 6562 Fax: 541147976562 **Aruba** Tri-Bike Aruba Tel: 297 5 852 734 Fax: 297 5 850 609 **Australia** Trek Bicycles Australia Pty. Ltd. Tel: 61 2 8832 6900 Fax: 61 2 8832 6901 **Bahrain** Skate Shack Tel: 973 17 697176 Fax: 973 17 404792 **Barbados** Taylor's Cycle Centre Ltd Tel: 246 426 3421 Fax: 246 4362142 **Belarus** DiscoverySport Tel: 375 172 270 187 **Belize** Bruce Cycling Club Bike Shop Tel: 501 22 37979 **Bermuda** Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 **Bolivia** Bicicar Tel: 591 2 241 2291 Fax: 591 2 241 6669 **Bonaire** ECO Experience N.V. Tel: 599 717 2227 Fax: 599 717 2227 **Brazil** International Sports do Brazil Ltda. Tel: 55 19 3886 7270 Fax: 55 19 3846 6133 **Brunei** Trekology Bikes 3 Pte Ltd. Tel: 65 62754675 Fax: 65 62754676 **Bulgaria** Velomania Ltd. Tel: 359 2 812 7060 Fax: 359 2 812 7061 **Canary Islands** Adolfo Suanzes S.A. Tel: 34 928 483050 Fax: 34 928 483777 **Cayman Islands** H.H. McTaggart & Sons Ltd. Tel: 345 949 7601 Fax: 345 949 8055 **Chile** Sparta Deportes Limitada Tel: 56 2 560 4214 Fax: 56 2 5572850 **Colombia** Bike House Tel: 574 285 0188 Fax: 574 262 2880 **Costa Rica** Motos Pazos Tel: 506 291 1667 Fax: 506 291 1665 **Croatia** Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337 **Curacao, NA** Vista Bike N.V. Tel: 5999 465 9577 Fax: 5999 465 9677 **Cyprus** Goodtones Ltd. Tel: 357 22 35 6673 Fax: 357 22 66 1027 **Czech Republic** Breifton Ltd Tel: 420 2 679 1 2679 Fax: 4202 72926464 **Dominican Republic** Rpoeriet & Cia.C. Por A Tel: 809 535 2152 Fax: 809 535 2152 **Ecuador** Smart Group Tel: 011 22 463 503 Fax: 593 2 248 3914 **El Salvador** Mayor, S.A. DE C.V. Tel: 503 241 0410 Fax: 503 2265 7888 **Estonia** Rademar Tel: 372 651 2910 Fax: 372 655 0120 **Fiji** Slinger Bicycles Limited Tel: 679 6283 771 Fax: 679 6707 301 **Finland** Oy Duell Bike Center Ab Tel: 358 6 322 7500 Fax: 358 6 322 2231 **French Polynesia** Sari Motor Bike Center Tel: 689 424 190 Fax: 689 413 336 **Georgia** DV Sport Ltd. 995 (32) 397999 **Greece** Active Zone Network Tel: 30 210 9612929 Fax: 30 210 9612520 **Grenada** Rhett Dopwell Tel: 473 440 5473 Fax: 473 444 4818 **Guam** MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 **Guatemala** Novasport Tel: 502 24 74 26 89 Fax: 502 2474 2691 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602 **Hungary** Genomed Kereskedelmi KFT Tel: 36 1 331 3184 Fax: 36 1 473 1686 **Iceland** Orninn-Hjól ehf Tel: 354 588 9890 Fax: 354 588 9894 **India** Firefox Bikes Pvt. Ltd. Tel: 91 120 2353531-35 Fax: 91 120 4357303 **Indonesia** Trekology Bikes 3 Pte Ltd. Tel: 65 62754675 Fax: 65 62754676 **Ireland** Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463 **Israel** Cycle Trading Company Ltd Tel: 972 9 9513 010 Fax: 972 9 9509 783 **Italy** Comar Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747 **Jordan** The Jordan Company for Bicycle Touring 962 777 5 888 74 **Kazakhstan** Intelli Sports Ltd. Tel: 7 727 2935870 Fax: 7 3272 921 333 **Kenya** Sustainable Ecosystems Ltd. Tel: 254 733 745518 **Korea** Spo-World Tel: 82 2 3444 9394 Fax: 82 2 3444 9414 **Kuwait** Extreme Sports Co., L.L.C. Tel: 965 5755898 Fax: 965 2542666 **Latvia** Velosports SIA Tel: 371 729 3517 Fax: 371 729 3518 **Lebanon** Blue Mountain Sari Tel: 961 9 637144 Fax: 961 9 637144 **Lithuania** Egmina UAB Tel: 370 232 5 3080 Fax: 370 5 232 3080 **Macedonia** Crossmak Dooel Tel: 389 47232068 Fax: 389 47232068 **Malaysia** Trekology Bikes 3 Pte Ltd. Tel: 65 62754675 Fax: 65 62754676 **Malta** Magri Cycles & Spares Tel: 356 21 414399 Fax: 256 21 436377 **Mexico** Power Distribution SA de CV Tel: 52 81 8478 4560 Fax: 52 81 8 340 1275 **Nevis** Wheel World Cycle Shop Tel: 869 469 9682 Fax: 869 469 9682 **New Caledonia** Royal Motors SA Tel: 687 28 59 12 Fax: 687 28 63 20 **New Zealand** Cycle Sport NZ Ltd. Tel: 64 6 348 8029 Fax: 64 6 348 4768 **Norway** Foss Sykler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Oman** Skate Shack Tel: 973 17 697176 **Panama** Motorsports Panama, S.A. Tel: 507 236 0852 Fax: 507 236 6140 **Paraguay** Enerbike S.A. 595 (21) 610652 **Peru** Best Bikes & Fitness Tel: 51 1 441 4411 Fax: 51 1 421 1205 **Philippines** 3T Techno Turbo Trading Tel: 632 951 4457 Fax: 632 431 1769 **Poland** S.S.C. Artykuly Sportowe SP.ZO.O Tel: 48 71 3431539 Fax: 48 71 3725448 **Portugal** Bicimax Artigos Desportivos LDA Tel: 351 244 575 195 Fax: 351 244 553 187 **Puerto Rico** OTP Corp. Tel: 787 649 0450 Fax: 787 765 6520 **Qatar** Skate Shack Tel: 974 4692532 Fax: 973 17 404792 **Romania** S.C. Summit Sport S.R.L. Tel: 407 225 44360 Fax: 407 131 36981 **Russia** Sportex Tel: 7 926 206 43 56 Fax: 7 926 200 76 61 **St. Kitts** Free Wheelers Tel: 869 466 3912 Fax: 869 466 3912 **St. Maarten** NA Tri-Sport N.V. Tel: 599545 4384 Fax: 59954 43928 **St. Vincent** Sailor's Cycle Centre Tel: 784 457 1712 Fax: 784 456 2821 **Saudi Arabia** Skate Shack Tel: 973 17 697176 Fax: 973 17 404792 **Senegal** Bomthi Sports Tel: 221 822 55 67 Fax: 221 822 13 72 **Serbia** Idako D.O.O. 381 (21) 400 606 **Singapore** Trekology Bikes 3 Pte Ltd. Tel: 65 62754675 Fax: 65 62754676 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 Fax: 421 46 549 1056 **Slovenia** Sport Trade 2000 Tel: 386 1 5104940 Fax: 386 61 1256 1628 **South Africa** Just Fun Group (Pty) Ltd. t/a Just Fun Sports Tel: 27 11 405 3300 Fax: 27 11 405 3361 **Sri Lanka** Trekology Bikes 3 Pte Ltd. Tel: 65 62754675 **Sweden** Motorfirman Holger Duells AB Tel: 46 31 72 76 300 Fax: 46 8 36 26 40 **Tahiti** Sari Motor Bike Center Tel: 689 424 190 Fax: 689 413 336 **Taiwan** Speed High Co. Ltd. Tel: 886 2 27252035 Fax: 886 2 23457475 **Tanzania** Adventure Sport & Leisure Tel: 255 27 250 9706 Fax: 255 27 250 9706 **Thailand** Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078 **Tortola, BVI** Last Stop Sports Center Ltd. Tel: 284 494 0564 Fax: 284 494 0593 **Trinidad** Geronimo's Cycles Tel: 868 622 2453 Fax: 868 622 2453 **Turkey** Alatin Bickletel Tel: 90 212 244 47 15 Fax: 90 212 249 69 50 **Ukraine** Velolux Company Tel: 380 443 325090 Fax: 380 444 557123 **United Arab Emirates** Direct Trading Est. Tel: 971 4 4076641 **U.S.V.I.** Associates of V.I. Athletes Inc. Tel: 340 719 6749 Fax: 340 773 7400 **Uruguay** Bilper S.A. Tel: 298 2 708 86 31 Fax: 598 2 401 2514 **Venezuela** Bike Pro Com C.A. Tel: 58 212 991 4744 Fax: 58 212 991 4356 **Vietnam** Starbikes Co., Ltd. Tel: 84 4 2130302 Fax: 84 47225040



WE PRINT OUR CATALOGS ON ONLY FOREST STEWARDSHIP COUNCIL (FSC) CERTIFIED PAPER

FSC certification ensures that the paper in our catalogs contains fiber from well-managed and responsibly-harvested forests. The goal is to shift the market to eliminate habitat destruction, water pollution, and displacement of indigenous peoples. This catalog meets FSC's strict environmental standards.